What is claimed is:

5

10

15

20

- 1. An isolated polypeptide selected from the group consisting of:
 - (i) an isolated polypeptide comprising an amino acid having at least:
- (a) 70% identity;
 - (b) 80% identity;
 - (c) 90% identity; or
 - (d) 95% identity

to the amino acid sequence of SEQ ID NO: 2 over the entire length of SEQ ID NO: 2;

- (ii) an isolated polypeptide comprising the amino acid sequence of SEQ ID NO: 2,
- (iii) an isolated polypeptide which is the amino acid sequence of SEQ ID NO: 2, and
- (iv) a polypeptide which is encoded by a recombinant polynucleotide comprising the polynucleotide sequence of SEQ ID NO:1.
- 2. An isolated polynucleotide selected from the group consisting of:
 - (i) an isolated polynucleotide comprising a polynucleotide sequence encoding a polypeptide that has at least
 - (a) 70% identity;
 - (b) 80% identity;
 - (c) 90% identity; or
 - (d) 95% identity;

to the amino acid sequence of SEO ID NO: 2, over the entire length of SEO ID NO: 2;

- (ii) an isolated polynucleotide comprising a polynucleotide sequence that has at least:
- (a) 70% identity
 - (b) 80% identity;
 - (c) 90% identity; or
 - (d) 95% identity;

over its entire length to a polynucleotide sequence encoding the polypeptide of SEQ ID

(iii) an isolated polynucleotide comprising a nucleotide sequence that has at least:

- (a) 70% identity;
- (b) 80% identity:
- (c) 90% identity; or
- (d) 95% identity;
- 5 to that of SEQ ID NO:1 over the entire length of SEQ ID NO:1;
 - (iv) an isolated polynucleotide comprising a nucleotide sequence encoding the polypeptide of SEO ID NO; 2;
 - (v) an isolated polynucleotide which is the polynucleotide of SEQ ID NO: 1;
- (vi) an isolated polynucleotide obtainable by screening an appropriate library under stringent hybridization conditions with a probe having the sequence of SEQ ID NO:1 or a fragment thereof;
 - (vii) an isolated polynucleotide encoding a mature polypeptide expressed by the dexB gene contained in the Streptococcus pneumoniae; and
 - (viii) a polynucleotide sequence complementary to said isolated polynucleotide of (i), (ii),
- 15 (iii), (iv), (v), (vi) or (vii).
 - 3. An antibody antigenic to or immunospecific for the polypeptide of claim 1.
 - 4. A method for the treatment of an individual:
 - (i) in need of enhanced activity or expression of the polypeptide of claim 1 comprising the step of:
 - (a) administering to the individual a therapeutically effective amount of an agonist to said polypeptide; or
 - (b) providing to the individual an isolated polynucleotide comprising a polynucleotide sequence encoding said polypeptide in a form so as to effect production of said polypeptide activity *in vivo*; or
 - (ii) having need to inhibit activity or expression of the polypeptide of claim 1 comprising:
 - (a) administering to the individual a therapeutically effective amount of an antagonist to said polypeptide; or

25

5

10

- (b) administering to the individual a nucleic acid molecule that inhibits the expression of a polynucleotide sequence encoding said polypeptide; or
- (c) administering to the individual a therapeutically effective amount of a polypeptide that competes with said polypeptide for its ligand, substrate, or receptor.
- 5. A process for diagnosing or prognosing a disease or a susceptibility to a disease in an individual related to expression or activity of the polypeptide of claim 1 in an individual comprising the step of:
- (a) determining the presence or absence of a mutation in the nucleotide sequence encoding said polypeptide in the genome of said individual; or
- (b) analyzing for the presence or amount of said polypeptide expression in a sample derived from said individual.
- 15 6. A method for screening to identify compounds that activate or that inhibit the function of the polypeptide of claim 1 which comprises a method selected from the group consisting of:
 - (a) measuring the binding of a candidate compound to the polypeptide or to the cells or membranes bearing the polypeptide or a fusion protein thereof by means of a label directly or indirectly associated with the candidate compound;
 - (b) measuring the binding of a candidate compound to the polypeptide or to the cells or membranes bearing the polypeptide or a fusion protein thereof in the presence of a labeled competitor;
 - (c) testing whether the candidate compound results in a signal generated by activation or inhibition of the polypeptide, using detection systems appropriate to the cells or cell membranes bearing the polypeptide;
 - (d) mixing a candidate compound with a solution containing a polypeptide of claim 1, to form a mixture, measuring activity of the polypeptide in the mixture, and comparing the activity of the mixture to a standard;
 - (e) detecting the effect of a candidate compound on the production of mRNA encoding said polypeptide and said polypeptide in cells, using for instance, an ELISA assay, or

25

5

- (f) (1) contacting a composition comprising the polypeptide with the compound to be screened under conditions to permit interaction between the compound and the polypeptide to assess the interaction of a compound, such interaction being associated with a second component capable of providing a detectable signal in response to the interaction of the polypeptide with the compound; and
- (2) determining whether the compound interacts with and activates or inhibits an activity of the polypeptide by detecting the presence or absence of a signal generated from the interaction of the compound with the polypeptide.
- 10 7. An agonist or an antagonist of the activity or expression polypeptide of claim 1.
 - 8. An expression system comprising a polynucleotide capable of producing a polypeptide of claim 1 when said expression system is present in a compatible host cell.
- 9. A host cell comprising the expression system of claim 8 or a membrane thereof expressing a polypeptide selected from the group consisting of:
 - (i) an isolated polypeptide comprising an amino acid sequence selected from the group having at least:
 - (a) 70% identity:
 - (b) 80% identity;
 - (c) 90% identity; or
 - (d) 95% identity

to the amino acid sequence of SEQ ID NO: 2 over the entire length of SEQ ID NO: 2:

- (ii) an isolated polypeptide comprising the amino acid sequence of SEQ ID NO: 2;
- (iii) an isolated polypeptide which is the amino acid sequence of SEO ID NO: 2, and
- (iv) a polypeptide which is encoded by a recombinant polynucleotide comprising the polynucleotide sequence of SEQ ID NO:1.
- 30 10. A process for producing a polypeptide selected from the group consisting of:

10

15

20

25

- (i) an isolated polypeptide comprising an amino acid sequence selected from the group having at least:
 - (a) 70% identity;
 - (b) 80% identity;
 - (c) 90% identity; or
 - (d) 95% identity

to the amino acid sequence of SEQ ID NO: 2 over the entire length of SEQ ID NO: 2;

- (ii) an isolated polypeptide comprising the amino acid sequence of SEQ ID NO: 2;
- (iii) an isolated polypeptide which is the amino acid sequence of SEQ ID NO: 2, and
- (iv) a polypeptide which is encoded by a recombinant polynucleotide comprising the polynucleotide sequence of SEQ ID NO:1,

comprising the step of culturing a host cell of claim 9 under conditions sufficient for the production of said polypeptide.

- 11. A process for producing a host cell comprising the expression system of claim 8 or a membrane thereof expressing a polypeptide selected from the group consisting of:
 - (i) an isolated polypeptide comprising an amino acid sequence selected from the group having at least:
 - (a) 70% identity;
 - (b) 80% identity;
 - (c) 90% identity; or
 - (d) 95% identity

to the amino acid sequence of SEQ ID NO: 2 over the entire length of SEQ ID NO: 2:

- (ii) an isolated polypeptide comprising the amino acid sequence of SEQ ID NO: 2;
- (iii) an isolated polypeptide which is the amino acid sequence of SEQ ID NO: 2, and
- (iv) a polypeptide which is encoded by a recombinant polynucleotide comprising the polynucleotide sequence of SEQ ID NO:1,
- said process comprising the step of transforming or transfecting a cell with an expression system comprising a polynucleotide capable of producing said polypeptide of (i), (ii), (iii) or (iv)

10

15

when said expression system is present in a compatible host cell such the host cell, under appropriate culture conditions, produces said polypeptide of (i), (ii), (iii) or (iv).

- 12. A host cell produced by the process of claim 11 or a membrane thereof expressing a polypeptide selected from the group consisting of:
 - (i) an isolated polypeptide comprising an amino acid sequence selected from the group having at least:
 - (a) 70% identity;
 - (b) 80% identity;
 - (c) 90% identity; or
 - (d) 95% identity

to the amino acid sequence of SEQ ID NO: 2 over the entire length of SEQ ID NO: 2;

- (ii) an isolated polypeptide comprising the amino acid sequence of SEQ ID NO: 2;
- (iii) an isolated polypeptide which is the amino acid sequence of SEQ ID NO: 2, and
- (iv) a polypeptide which is encoded by a recombinant polynucleotide comprising the polynucleotide sequence of SEO ID NO:1.
- 13. A computer readable medium having stored thereon a member selected from the group consisting of: a polynucleotide comprising the sequence of SEQ ID NO:1; a polypeptide comprising the sequence of SEQ ID NO:2; a set of polynucleotide sequences wherein at least one of said sequences comprises the sequence of SEQ ID NO:1; a set of polypeptide sequences wherein at least one of said sequences comprises the sequence of SEQ ID NO:2; a data set representing a polynucleotide sequence comprising the sequence of SEQ ID NO:1; a data set representing a polynucleotide sequence encoding a polypeptide sequence comprising the sequence of SEQ ID NO:1; a polypeptide comprising the sequence of SEQ ID NO:1; a polypeptide comprising the sequence of SEQ ID NO:1; a set of polypeptide sequences wherein at least one of said sequences comprises the sequence of SEQ ID NO:1; a set of polypeptide sequences wherein at least one of said sequences comprises the sequence of SEQ ID NO:2; a set of polypeptide sequences wherein at least one of said sequences comprises the sequence of SEQ ID NO:2; a set of polypeptide sequences wherein at least one of said sequences comprises the sequence of SEQ ID NO:2; a set of polypeptide sequences wherein at least one of said sequences comprises the sequence of SEQ ID NO:2; a set of polypeptide sequences wherein at least one of said sequences comprises the sequence of SEQ ID NO:2; a set of polypeptide sequences wherein at least one of said sequences comprises the sequence of SEQ ID NO:2; a set of polypeptide sequences wherein at least one of said sequences comprises the sequence of SEQ ID NO:2; a set of polypeptide sequences wherein at least one of said sequences comprises the sequence of SEQ ID NO:2; a set of polypeptide sequences wherein at least one of said sequences comprises the sequence of SEQ ID NO:2; a set of polypeptide sequences wherein at least one of said sequences comprises the sequence of SEQ ID NO:2; a set of polypeptide sequences of SEQ ID NO:2; a set of polypeptide sequences of SEQ ID NO:

10

NO:1; a data set representing a polynucleotide sequence encoding a polypeptide sequence comprising the sequence of SEQ ID NO: 2.

- 14. A computer based method for performing homology identification, said method comprising the steps of providing a polynucleotide sequence comprising the sequence of SEQ ID NO:1 in a computer readable medium; and comparing said polynucleotide sequence to at least one polynucleotide or polypeptide sequence to identify homology.
- 15. A further embodiment of the invention provides a computer based method for polynucleotide assembly, said method comprising the steps of: providing a first polynucleotide sequence comprising the sequence of SEQ ID NO:1 in a computer readable medium; and screening for at least one overlapping region between said first polynucleotide sequence and a second polynucleotide sequence.